


Service part catalogue

iCombi® ab 03/2020 201 - 20 x 1/1 Gastronorm

E21MJ2003




Overview



Overview

Pos.	Assembly	Page
1	Control panel	4
2	Electrical installation	6
3	ClimaPlus	12
4	Steam generator	14
5	Hot air heating	16
6	Motor and fan wheel	18
7	Interior cabinet	20
8	Door	22
9	Exterior cabinet	28
10	Water	32
11	CleanJet + Care	34
13	Standard accessory	36

Control panel



Control panel

Pos.	Part no.	Description	Qty.
1	87.01.536S	Front panel with overlay *RAT*	1
2	16.03.342P	Sealing f. panel insert	1
6	42.00.292P	Control pcb (w/o Eeprom)	1
8	42.00.293P	External memory	1
11	40.06.044P	USB socket with cable	1
12	40.06.410P	Interface cable LAN 2m	1
13	16.03.752P	Dial f. pulse generator	1
14	40.06.037P	Pulse generator	1
15	16.03.735P	Cover f. control pcb w. gasket	1
17	16.03.748P	Metal cramp f. panel insert	6
18	16.03.749P	Hook for parking position	2
23	16.04.062P	Sealing block	1
23	16.03.701P	Sealing block LAN	1


This exploded view diagram illustrates the assembly of a mechanical device. The components are identified by the following callouts:

- 1**: Main vertical chassis or frame.
- 2**: A horizontal mounting plate or bracket.
- 3**: A set of small, circular fasteners or washers.
- 4**: A small rectangular component, possibly a switch or sensor.
- 5**: A larger rectangular component, likely a motor or actuator.
- 6**: A small circular component, possibly a bearing or bush.
- 7**: A small rectangular component, possibly a switch or sensor.
- 8**: A small rectangular component, possibly a switch or sensor.
- 9**: A small rectangular component, possibly a switch or sensor.
- 10**: A small rectangular component, possibly a switch or sensor.
- 11**: A small rectangular component, possibly a switch or sensor.
- 12**: A small rectangular component, possibly a switch or sensor.
- 13**: A small rectangular component, possibly a switch or sensor.
- 14**: A small rectangular component, possibly a switch or sensor.
- 15**: A small rectangular component, possibly a switch or sensor.
- 16**: A small rectangular component, possibly a switch or sensor.
- 17**: A small rectangular component, possibly a switch or sensor.
- 18**: A small rectangular component, possibly a switch or sensor.
- 19**: A small rectangular component, possibly a switch or sensor.
- 20**: A small rectangular component, possibly a switch or sensor.
- 21**: A small rectangular component, possibly a switch or sensor.
- 22**: A small rectangular component, possibly a switch or sensor.
- 23**: A small rectangular component, possibly a switch or sensor.
- 24**: A small rectangular component, possibly a switch or sensor.

Electrical installation

Pos.	Part no.	Description	Qty.
1		Electrical installation	1
2	40.00.453P	Solid state relais	4
3	10.01.266P	Pan head screw Torx T20 10,5mm	5
4	10.01.776P	Pan head screw Torx T20 M4x12	8
5	40.03.931P	Heat sink small 2 SSR	2
6	10.01.776P	Pan head screw Torx T20 M4x12	4
7	40.06.386P	Mounting device heat sink SSR	1
8	10.00.989P	Rivet with screw	1
9	40.06.355P	Cooling fan	1
10	87.01.619S	Air shaft cpl.	1
12	87.01.741S	Interface USB	1
15	40.06.042S	Mounting support power transformer	1
16	10.01.208P	Hex screw M8x80 A2	1
18	40.06.878P	Cable holder	12
20	40.05.994P	Cooling fan 11938MB	1
22	40.05.484P	Screwed cable gland M40x1,5*22-32*	1
23	40.00.320S	Cable gland M20x1.5	1
24	40.04.495P	Cable connection M25 ø5mm *divisible*	1
100	40.06.060P	Cable control harness	1
103	40.06.166P	Cable contactor-SSR	1
105	40.06.242P	Cable, circulation pump	1
106	40.06.245P	Cable, sewage pump	1
107	40.06.248P	Cable SC pump	1
108	40.06.251P	Cable, Care pump	1
109	40.06.718P	Cable, interior light W57 *door lighting*	1
114	40.07.148P	Bus cable 1.73m	1
115	40.05.858P	Bus cable 1.08m	1
116	40.07.147P	Bus cable 1.96m	1
117	40.05.858P	Bus cable 1.08m	1
118	40.05.858P	Bus cable 1.08m	1
129	40.07.451P	Cable hot air probe - eSTB	1
130	40.07.453P	Cable, steam probe - eSTB	1


Electrical installation



Electrical installation

Pos.	Part no.	Description	Qty.
1	40.06.638P	Electrical mounting plate	1
2	10.00.709P	Hex nut M6 w. locking	1
3	42.00.336P	Electronic noise filter	1
4	40.06.455P	Contactor K3-40B00 190R T AZ	1
6	40.06.626P	Earth terminal WKFN 16 D1/2/SL/35	2
7	40.06.627P	Terminal block blue WKFN 16 Duo	1
8	40.04.642P	Terminal block grey WKFN 10 D1/2/35	3
9	40.03.756P	Fixing clip f. pcb	1
11	40.05.919P	IO-module	1
14	10.00.989P	Rivet with screw	1
15	40.03.756P	Fixing clip f. pcb	1
16	40.06.116S	Mounting support for pump pcb	1
17	10.00.989P	Rivet with screw	1
18	42.00.273P	Pump pcb	1
23	40.05.280P	End cover APFN 10 D1/2/35	1
24	40.05.283P	Insulated jumper bar IVB WKF 10-2	2
28	40.06.767P	Fuse 4A *Typ 5HT 4-R*	1


Air shaft cpl.



Air shaft cpl.

Pos.	Part no.	Description	Qty.
1	40.05.654P	Air inlet filter cpl.	1
2	40.07.257P	Loudspeaker K 64 WP FR	1


ClimaPlus



ClimaPlus

Pos.	Part no.	Description	Qty.
1	3017.1011P	Pressure sensor Huba 401	1
2	40.05.702P	Mounting device f. pressure sensor	1
4	22.01.496P	Hose set f. humidity control	1
5	40.06.214P	Vent cover	1
6	40.06.570P	Ventilation at top	1
7	22.01.402P	Humidity control cpl.	1
8	10.01.694P	O-ring for humidity control	4
9	22.01.468P	Drain hose for humidity control, top	1
10	2066.0527P	Hose clamp ø14mm	4
11	22.01.385P	Air inlet pipe	1
12	22.01.456P	Vent cover, left	1
13	22.01.402P	Humidity control cpl.	1
14	2066.0527P	Hose clamp ø14mm	2
21	22.01.402P	Humidity control cpl.	1


Steam generator



Steam generator

Pos.	Part no.	Description	Qty.
1	72.00.492P	V Clamp 50mm right	1
2	87.01.554S	Kit Steam generator insulated	1
3	44.02.200P	Gasket SC pump	1
4	44.02.179S	Pump housing	1
6	56.01.024P	Emptying pump	1
7	44.02.287P	Emergency drainage hose	1
8	10.01.707P	Locking ring 25mm	1
9	10.01.707P	Locking ring 25mm	1
10	44.02.225S	Supply hose safety armature	1
11	44.02.217S	Drain hose steam generator	1
12	10.01.707P	Locking ring 25mm	1
13	10.01.707P	Locking ring 25mm	1
14	87.01.543S	Safety device / water supply for steam generator	1
16	50.02.277P	Hose, water supply, steam generator	1
17	2066.0205P	Hose clamp 8-16x9 mm SW 7mm	1
18	44.02.232P	Drain hose steam generator	1
19	44.01.505P	Grommet Ø12x8,2	1
21	44.02.495S	Molded hose with level electrode	1
22	2066.0518P	Hose clamp 30mm	2
23.1	44.02.195S	Heating element with gasket	1
23.2	44.02.255S	Heating element with gasket	1
24	10.00.709P	Hex nut M6 w. locking	1
25	44.02.503P	Gasket f. heating element	1
29	40.06.133P	Temperature sensor eSTB 100mm *S*	1
36	40.06.720P	Thermocouple steam generator *B5*	1

Hot air heating



Hot air heating

Pos.	Part no.	Description	Qty.
1.1	87.01.557S	Heating assembly with gasket	1
1.2	87.01.557S	Heating assembly with gasket	1
1.3	87.01.557S	Heating assembly with gasket	1
2	46.00.278P	Gasket f. heating assembly	3
3	46.00.279P	Mating flange f. heating assembly	3
4	10.00.109P	Hex screw M5x23	21
5	10.01.076P	Cap nut M5*A2	3
6	10.00.991P	Sealing cap	1
7	50.02.309P	Cap nut M10x1	1


This exploded view diagram illustrates the assembly of a three-blade propeller. The components are numbered as follows:

- 1.1, 1.2, 1.3:** The three blades of the propeller.
- 2.1, 2.2, 2.3:** The three blades of the propeller, shown from a different perspective.
- 3:** The propeller hub.
- 4, 5, 6, 7, 8, 9:** The propeller nut and washers.
- 10:** The propeller hub.
- 11, 12, 13, 14:** The propeller nut and washers.

Motor and fan wheel

Pos.	Part no.	Description	Qty.
1.1	87.01.558S	Fan motor	1
1.2	87.01.558S	Fan motor	1
1.3	87.01.558S	Fan motor	1
2.1	42.00.276P	Motor control for fan motor	1
2.2	42.00.276P	Motor control for fan motor	1
2.3	42.00.276P	Motor control for fan motor	1
3	20.02.807P	Isolation for mounting plate for motor	3
6	10.00.709P	Hex nut M6 w. locking	12
7	22.01.423P	Mounting support f. gasket flange	3
8	22.01.425P	Graphit seal for gasket flange	3
9	22.00.985P	Motor shaft gasket D15	3
10	22.01.427P	Flange f. motor shaft gasket	3
11	10.01.076P	Cap nut M5*A2	9
12	22.01.151S	Fan wheel	3
13	1308.0162P	Washer A8,4	3
14	10.00.936P	Hex screw M8x20	3


Interior cabinet



Interior cabinet

Pos.	Part no.	Description	Qty.
1	22.01.346P	Air baffle	1
2	40.06.112S	Temperature sensor eSTB *HA*	1
3	40.06.682P	Safety temperature limiter	1
4	40.06.053P	Fixing device for safety temperature limiter	1
5	10.00.515P	Rivet 3,2x6.8 A2/NSF	2
6	40.06.098P	Screen core temperature sensor	1
7	10.01.076P	Cap nut M5*A2	1
8	40.06.805P	Thermocouple interior cabinet B1	1
9	40.05.489P	Screen interior cabinet sensor	1
10	10.01.076P	Cap nut M5*A2	2
11	40.06.792S	Thermocouple humidity *B4*	1
12	10.00.087P	Clamp strap f. sensor	1
13	10.01.065P	Hex nut M5	1
14	40.05.999P	Meat probe sensor	1
15	1315.0104P	Copper washer 16x20x1,5	1
16	10.01.751P	Hex nut M16 DIN934 A2	1
17	56.01.491P	Outlet sieve	1
18	20.00.398P	Door gasket	1
22	40.06.730P	Thermocouple interior cabinet B9	1
23	40.05.489P	Screen interior cabinet sensor	1
24	10.01.076P	Cap nut M5*A2	2


Door



Door

Pos.	Part no.	Description	Qty.
1	24.04.113S	Door	1
2	24.04.081P	Door handle	1
3	24.04.244P	Door lock	1
4	10.01.776P	Pan head screw Torx T20 M4x12	2
5	10.00.090P	Cap f. Torx T30	1
8	24.01.351P	Door catch	1
9	10.00.936P	Hex screw M8x20	2
10	2001.0109P	Compression spring	1
11	24.03.040P	Door bolt	1
12	10.01.880P	Ornamental screw M8x25	1
13	24.04.245P	Door bolt	1
14	10.00.099S	Hex screw M8x12	1
17	12.02.605P	Cap for door mounting support bottom	1
18	16.04.110P	Cover for door mounting support	1
21	24.05.002P	Stop spacer	1
22	87.01.810S	Spacer plate door catch	1
23	24.02.263P	Cover for door latch	1


Door



Door

Pos.	Part no.	Description	Qty.
1	24.04.333P	Inner door pane	1
4	24.04.219P	Door setting bolt	1
5	10.00.904P	Rivet B4x8	2
7	24.04.471S	Bracket left f. door floor model	1
8	1604.0161P	Rivet 4x6 CNS	1
9	24.04.212S	Bracket right f. door floor model	1
10	10.00.989P	Rivet with screw	1
15	24.03.057P	Abrasion protection for glide socket	1
16	24.03.787S	Fixing bracket kit for interior glass pane	2
17	1604.0161P	Rivet 4x6 CNS	1
19	87.01.579S	LED bar	1
20	87.01.580S	LED optics	1
21	24.05.458P	Plastic spreader rivet	2
23	87.01.438	Spacer kit for glass pane	1
24	24.00.171P	Silicone buffer 7mm for door	4
26	24.04.231S	Pre heat mechanism f. door cpl.	1
101	87.01.596S	Cable, interior light W40 *door lighting*	1


Pre heat mechanism f. door



Pre heat mechanism f. door

Pos.	Part no.	Description	Qty.
1	24.04.468S	Gasket support	1
2	24.05.091P	Gasket glass pane/trolley	1


Exterior cabinet



Exterior cabinet

Pos.	Part no.	Description	Qty.
1		Exterior cabinet	1
2	10.01.755P	Countersunk screw M5x20 A2	1
3	1206.0120P	Tooth lock washer A6,4	1
4	40.06.380P	Door switch	1
5	16.00.384S	Bracket for door contact switch	1
7	10.00.103P	EJOT PT-screw KA 3.5x10	1
8	40.06.214P	Vent cover	1
9	16.03.729P	Gasket f. breather tube d=117.3mm	1
10	56.01.430P	Tulip for handshower	1
12	10.00.357P	Plug	2
14	40.05.657P	Air inlet filter cpl.	1
15	40.05.654P	Air inlet filter cpl.	1
19	2039.0111P	Foot adjustable, metal, 40 x 40	4
20	60.75.895	Holder for handle mobile oven rack type 20-1/1, 20-2/1	1
21	12.02.617S	Crossbar below	1
22	56.01.639P	Mounting frame for Care container	1
23	10.01.983P	Plug	2


Exterior cabinet



Exterior cabinet

Pos.	Part no.	Description	Qty.
1	16.03.436P	Top cover	1
2	1003.2265P	Countersunk self tapping screw 4,2x16	10
3	1104.0820P	Snap nut 4,2mm	10
4	16.04.081P	Side panel right	1
5	16.04.088P	Back panel	1
8	16.03.438P	Side panel left	1
9	10.01.755P	Countersunk screw M5x20 A2	2
11	16.03.688P	Front panel	1
13	16.03.433P	Crossbar top	1


Water



Water

Pos.	Part no.	Description	Qty.
1	54.01.648P	Ventilation pipe	1
2	10.01.667P	Hose clamp 122mm	1
3	54.01.650S	Rubber form piece venting pipe +Hose clamp	1
4	10.01.667P	Hose clamp 122mm	1
5	2067.0709P	Hose for water supply 2500mm	1
6	50.00.086P	Locking plate f. water distribution	1
7	50.02.104P	Solenoid valve triple	1
9	50.00.085P	Plug-in spring f. hand shower roll guide	1
10	52.00.135S	Connect. hose f. hand shower roll guide	1
11	50.00.085P	Plug-in spring f. hand shower roll guide	1
12	52.00.099P	Hand shower roll guide	1
14	50.00.156P	Clamp f. hand shower roll guide	1
15	52.00.127S	Hand shower black	1
16	54.01.897S	Inspection lid, B2	1
17	54.01.168P	Gasket f. inspection lid	1
24	52.00.146P	Hose f. hand shower	1


CleanJet + Care



CleanJet + Care

Pos.	Part no.	Description	Qty.
1	56.00.952P	Drawer Care container	1
2	56.01.466P	Care container with pump	1
3	50.02.135P	Supply hose for "Care box"	1
4	56.01.028P	Pump f. CareControl	1
5	56.01.631P	O-ring for pump	1
6	10.01.703P	Locking ring 16 mm	1
7	56.01.508S	Care hose	1
8	10.01.703P	Locking ring 16 mm	1
17	56.01.461P	Gasket DN60	1
18	56.01.370P	Cleaning box	1
21	56.01.017P	Waste water pump Cleaning box	1
22	56.01.631P	O-ring for pump	1
23	56.01.020P	Pump f. cleaning	1
24	56.01.631P	O-ring for pump	1
25	2066.0521P	Hose clamp 27mm	1
26	56.01.624S	CleanJet hose	1
27	2066.0521P	Hose clamp 27mm	1
28	56.01.688S	Silicone hose with hose clamps	1
29	2066.0527P	Hose clamp ø14mm	1
30	87.01.636S	Cover for pump	1
31	56.01.499P	Emergency overflow-tube	1


Standard accessory



Standard accessory

Pos.	Part no.	Description	Qty.
1	60.71.022	Positioning support for core sensor	1
3	60.21.331	Mobile oven rack type 20-1/1,	1
4	60.75.326	Condensation breaker	1
5		Exhaust hood	1
7		Internal fat drain floor unit	1
8		VarioSmoker	1
10		Heat shield	1
20		Repair and retrofit kit	1




Mobile oven rack type F/G



Mobile oven rack type F/G

Pos.	Part no.	Description	Qty.
1	60.75.468P	Drain plug with chain for trolley	1
2	60.74.681P	Castor with brake ø125mm	2
3	60.74.680P	Castor without brake ø125mm	2
4	60.21.296P	Handle for mobile oven rack	1
5	60.75.895	Holder for handle mobile oven rack type 20-1/1, 20-2/1	1
6	14.01.113S	Retrofit kit drip tray trolley 201	1
7	60.21.295P	Drip collector	1
8	60.22.462P	Drain groove left for trolley	1
9	60.22.463P	Drain groove right for trolley	1


Exhaust hood



Exhaust hood

Pos.	Part no.	Description	Qty.
2		UltraVent	1
3		Extractor hood	1


UltraVent



UltraVent

Pos.	Part no.	Description	Qty.
1	60.74.890S	Blower motor for UltraVent	1
1	60.74.889S	Blower motor for UltraVent	1
2	60.75.179S	Motor mounting plate	1
3	60.75.219S	Heat protection plate	1
4	60.75.215S	Closure Combi-Duo 70mm	1
6	60.75.171S	Electrical box cover back	1
7	60.75.212P	Electrical box seal	1
8	60.75.161P	Condensate collector 114,3mm	1
9	40.05.995P	Thermocouple	1
10	60.75.178P	side panels	1
11	60.75.181S	Front panel	1
12	60.75.196S	Front hood	1
13	60.75.183P	Baffle plate filter right	1
14	60.75.200P	Baffle plate filter left	1
15	60.75.209P	Electrical box cover	1
16	60.75.175S	Electric box cover front	1
17	60.75.204S	IPX5 Coverage	1
18	42.00.308S	Control pcb UltraVent	1
19	60.76.574P	spacer CPU	1
20	60.76.447S	Connection terminal	1
21	60.76.448S	Power chokes	1
21	60.76.449P	Capacitors	1
22	40.06.596P	Bus cable	1
24	87.01.781S	Thermocouple	1


Extractor hood



Extractor hood

Pos.	Part no.	Description	Qty.
1	60.74.890S	Blower motor for UltraVent	1
1	60.74.889S	Blower motor for UltraVent	1
2	60.75.179S	Motor mounting plate	1
3	60.75.219S	Heat protection plate	1
6	60.75.171S	Electrical box cover back	1
7	60.75.212P	Electrical box seal	1
8	60.75.161P	Condensate collector 114,3mm	1
9	40.05.995P	Thermocouple	1
10	60.75.178P	side panels	1
11	60.75.181S	Front panel	1
12	60.75.196S	Front hood	1
13	60.75.183P	Baffle plate filter right	1
14	60.75.200P	Baffle plate filter left	1
15	60.75.209P	Electrical box cover	1
16	60.75.175S	Electric box cover front	1
17	60.76.467S	Exhaust air plate	1
18	42.00.308S	Control pcb UltraVent	1
19	60.76.574P	spacer CPU	1
20	60.76.447S	Connection terminal	1
21	60.76.448S	Power chokes	1
21	60.76.449P	Capacitors	1
22	40.06.596P	Bus cable	1
24	87.01.781S	Thermocouple	1


Internal fat drain floor unit



Internal fat drain floor unit

Pos.	Part no.	Description	Qty.
1	60.76.409P	End cap for Internal fat drain	1
2	60.74.564P	Gasket for int. fat drain	1
3	56.00.874P	Gasket wastewater	1
4	60.72.729P	Ball valve DN32 (1 1/4")	1
5	60.72.609P	Drain pipe, bayonet with handle	1
6	60.75.103P	Grease collector trolley 201	1
7	6013.1146P	Tray, 1/1 GN, 150 mm deep, high grade steel rustproof	1
8	60.73.061P	Lid for tray, GN1/1	1


VarioSmoker



VarioSmoker

Pos.	Part no.	Description	Qty.
1	60.75.374P	Power supply for VarioSmoker *UK*	1
1	60.75.376P	Power supply for VarioSmoker *ARG*	1
1	60.75.378P	Power supply for VarioSmoker *CH*	1
1	60.75.386P	Power supply for VarioSmoker *BRA*	1
1	60.75.368P	Power supply for VarioSmoker *US*	1
1	60.75.372P	Power supply for VarioSmoker *EU*	1
2	60.76.115S	Mounting device kit for VarioSmoker	1
3	60.76.691P	Smoking box for VarioSmoker	1
4	40.06.837P	Interface cable USB VarioSmoker	1


Heat shield



Heat shield

Pos.	Part no.	Description	Qty.
1	60.75.825P	heat shield holder top	1
2	60.75.833P	holder heat shield bottom	1

Repair and retrofit kit



Repair and retrofit kit

Pos.	Part no.	Description	Qty.
1	87.01.866S	Retrofit kit *Collision protection*	1
2	87.01.786S	Retrofit kit Energy_opt.	1
3	40.07.088S	Cable, UPS	1
4	87.01.815S	Retrofit kit safety door latch	1
5	87.01.895S	Door fixing mechanism marine version	1
6	60.76.876	Extension set for USB core temperature probe	1
7	87.01.916S	Conversion kit blind cover for hand shower	1
8	60.77.082	Second water connection for filling the hand shower.	1
10	87.01.897	Retrofit kit waste water piping DN90	1

Index

Part no.	Description	Page
24.03.057P	Abrasion protection for glide socket	25
22.01.346P	Air baffle	21
40.05.654P	Air inlet filter cpl.	11, 29
40.05.657P	Air inlet filter cpl.	29
22.01.385P	Air inlet pipe	13
87.01.619S	Air shaft cpl.	7
16.04.088P	Back panel	31
60.75.200P	Baffle plate filter left	43, 45
60.75.183P	Baffle plate filter right	43, 45
60.72.729P	Ball valve DN32 (1 1/4")	47
60.74.890S	Blower motor for Ultravent	43, 45
60.74.889S	Blower motor for Ultravent	43, 45
16.00.384S	Bracket for door contact switch	29
24.04.471S	Bracket left f. door floor model	25
24.04.212S	Bracket right f. door floor model	25
40.06.596P	Bus cable	43, 45
40.05.858P	Bus cable 1.08m	7
40.07.148P	Bus cable 1.73m	7
40.07.147P	Bus cable 1.96m	7
40.04.495P	Cable connection M25 ø5mm *divisible*	7
40.06.166P	Cable contactor-SSR	7
40.06.060P	Cable control harness	7
40.00.320S	Cable gland M20x1.5	7
40.06.878P	Cable holder	7
40.07.451P	Cable hot air probe - eSTB	7
40.06.248P	Cable SC pump	7
40.06.251P	Cable, Care pump	7
40.06.242P	Cable, circulation pump	7
87.01.596S	Cable, interior light W40 *door lighting*	25
40.06.718P	Cable, interior light W57 *door lighting*	7
40.06.245P	Cable, sewage pump	7
40.07.453P	Cable, steam probe - eSTB	7

Index

Part no.	Description	Page
40.07.088S	Cable, UPS	53
10.00.090P	Cap f. Torx T30	23
12.02.605P	Cap for door mounting support bottom	23
10.01.076P	Cap nut M5*A2	17, 19, 21
50.02.309P	Cap nut M10x1	17
60.76.449P	Capacitors	43, 45
56.01.466P	Care container with pump	35
56.01.508S	Care hose	35
60.74.681P	Castor with brake ø125mm	39
60.74.680P	Castor without brake ø125mm	39
50.00.156P	Clamp f. hand shower roll guide	33
10.00.087P	Clamp strap f. sensor	21
56.01.370P	Cleaning box	35
56.01.624S	CleanJet hose	35
60.75.215S	Closure Combi-Duo 70mm	43
2001.0109P	Compression spring	23
60.75.161P	Condensate collector 114,3mm	43, 45
60.75.326	Condensation breaker	37
52.00.135S	Connect. hose f. hand shower roll guide	33
60.76.447S	Connection terminal	43, 45
40.06.455P	Contacteur K3-40B00 190R T AZ	9
42.00.292P	Control pcb (w/o Eeprom)	5
42.00.308S	Control pcb UltraVent	43, 45
87.01.916S	Conversion kit blind cover for hand shower	53
40.06.355P	Cooling fan	7
40.05.994P	Cooling fan 11938MB	7
1315.0104P	Copper washer 16x20x1,5	21
10.01.755P	Countersunk screw M5x20 A2	29, 31
1003.2265P	Countersunk self tapping screw 4,2x16	31
16.03.735P	Cover f. control pcb w. gasket	5
24.02.263P	Cover for door latch	23
16.04.110P	Cover for door mounting support	23

Index

Part no.	Description	Page
87.01.636S	Cover for pump	35
12.02.617S	Crossbar below	29
16.03.433P	Crossbar top	31
16.03.752P	Dial f. pulse generator	5
24.04.113S	Door	23
24.03.040P	Door bolt	23
24.04.245P	Door bolt	23
24.01.351P	Door catch	23
87.01.895S	Door fixing mechanism marine version	53
20.00.398P	Door gasket	21
24.04.081P	Door handle	23
24.04.244P	Door lock	23
24.04.219P	Door setting bolt	25
40.06.380P	Door switch	29
60.22.462P	Drain groove left for trolley	39
60.22.463P	Drain groove right for trolley	39
22.01.468P	Drain hose for humidity control, top	13
44.02.217S	Drain hose steam generator	15
44.02.232P	Drain hose steam generator	15
60.72.609P	Drain pipe, bayonet with handle	47
60.75.468P	Drain plug with chain for trolley	39
56.00.952P	Drawer Care container	35
60.21.295P	Drip collector	39
40.06.626P	Earth terminal WKFN 16 D1/2/SL/35	9
10.00.103P	EJOT PT-screw KA 3.5x10	29
60.75.175S	Electric box cover front	43, 45
60.75.209P	Electrical box cover	43, 45
60.75.171S	Electrical box cover back	43, 45
60.75.212P	Electrical box seal	43, 45
40.06.638P	Electrical mounting plate	9
42.00.336P	Electronic noise filter	9
44.02.287P	Emergency drainage hose	15

Index

Part no.	Description	Page
56.01.499P	Emergency overflow-tube	35
56.01.024P	Emptying pump	15
60.76.409P	End cap for Internal fat drain	47
40.05.280P	End cover APFN 10 D1/2/35	9
60.76.467S	Exhaust air plate	45
60.76.876	Extension set for USB core temperature probe	53
42.00.293P	External memory	5
87.01.558S	Fan motor	19
22.01.151S	Fan wheel	19
24.03.787S	Fixing bracket kit for interior glass pane	25
40.03.756P	Fixing clip f. pcb	9
40.06.053P	Fixing device for safety temperature limiter	21
22.01.427P	Flange f. motor shaft gasket	19
2039.0111P	Foot adjustable, metal, 40 x 40	29
60.75.196S	Front hood	43, 45
16.03.688P	Front panel	31
60.75.181S	Front panel	43, 45
87.01.536S	Front panel with overlay *RAT*	5
40.06.767P	Fuse 4A *Typ 5HT 4-R*	9
56.01.461P	Gasket DN60	35
16.03.729P	Gasket f. breather tube d=117.3mm	29
46.00.278P	Gasket f. heating assembly	17
44.02.503P	Gasket f. heating element	15
54.01.168P	Gasket f. inspection lid	33
60.74.564P	Gasket for int. fat drain	47
24.05.091P	Gasket glass pane/trolley	27
44.02.200P	Gasket SC pump	15
24.04.468S	Gasket support	27
56.00.874P	Gasket wastewater	47
22.01.425P	Graphit seal for gasket flange	19
60.75.103P	Grease collector trolley 201	47
44.01.505P	Grommet Ø12x8,2	15

Index

Part no.	Description	Page
52.00.127S	Hand shower black	33
52.00.099P	Hand shower roll guide	33
60.21.296P	Handle for mobile oven rack	39
60.75.219S	Heat protection plate	43, 45
60.75.825P	heat shield holder top	51
40.03.931P	Heat sink small 2 SSR	7
87.01.557S	Heating assembly with gasket	17
44.02.195S	Heating element with gasket	15
44.02.255S	Heating element with gasket	15
10.01.065P	Hex nut M5	21
10.00.709P	Hex nut M6 w. locking	9, 15, 19
10.01.751P	Hex nut M16 DIN934 A2	21
10.00.109P	Hex screw M5x23	17
10.00.099S	Hex screw M8x12	23
10.00.936P	Hex screw M8x20	19, 23
10.01.208P	Hex screw M8x80 A2	7
60.75.895	Holder for handle mobile oven rack type 20-1/1, 20-2/1	29, 39
60.75.833P	holder heat shield bottom	51
16.03.749P	Hook for parking position	5
2066.0205P	Hose clamp 8-16x9 mm SW 7mm	15
2066.0521P	Hose clamp 27mm	35
2066.0518P	Hose clamp 30mm	15
10.01.667P	Hose clamp 122mm	33
2066.0527P	Hose clamp ø14mm	13, 35
52.00.146P	Hose f. hand shower	33
2067.0709P	Hose for water supply 2500mm	33
22.01.496P	Hose set f. humidity control	13
50.02.277P	Hose, water supply, steam generator	15
22.01.402P	Humidity control cpl.	13
24.04.333P	Inner door pane	25
54.01.897S	Inspection lid, B2	33
40.05.283P	Insulated jumper bar IVB WKF 10-2	9

Index

Part no.	Description	Page
40.06.410P	Interface cable LAN 2m	5
40.06.837P	Interface cable USB VarioSmoker	49
87.01.741S	Interface USB	7
40.05.919P	IO-module	9
60.75.204S	IPX5 Coverage	43
20.02.807P	Isolation for mounting plate for motor	19
87.01.554S	Kit Steam generator insulated	15
87.01.579S	LED bar	25
87.01.580S	LED optics	25
60.73.061P	Lid for tray, GN1/1	47
50.00.086P	Locking plate f. water distribution	33
10.01.703P	Locking ring 16 mm	35
10.01.707P	Locking ring 25mm	15
40.07.257P	Loudspeaker K 64 WP FR	11
46.00.279P	Mating flange f. heating assembly	17
40.05.999P	Meat probe sensor	21
16.03.748P	Metal cramp f. panel insert	5
60.21.331	Mobile oven rack type 20-1/1,	37
44.02.495S	Molded hose with level electrode	15
42.00.276P	Motor control for fan motor	19
60.75.179S	Motor mounting plate	43, 45
22.00.985P	Motor shaft gasket D15	19
40.05.702P	Mounting device f. pressure sensor	13
40.06.386P	Mounting device heat sink SSR	7
60.76.115S	Mounting device kit for VarioSmoker	49
56.01.639P	Mounting frame for Care container	29
22.01.423P	Mounting support f. gasket flange	19
40.06.116S	Mounting support for pump pcb	9
40.06.042S	Mounting support power transformer	7
10.01.694P	O-ring for humidity control	13
56.01.631P	O-ring for pump	35
10.01.880P	Ornamental screw M8x25	23

Index

Part no.	Description	Page
56.01.491P	Outlet sieve	21
10.01.266P	Pan head screw Torx T20 10,5mm	7
10.01.776P	Pan head screw Torx T20 M4x12	7, 23
24.05.458P	Plastic spreader rivet	25
10.00.357P	Plug	29
10.01.983P	Plug	29
50.00.085P	Plug-in spring f. hand shower roll guide	33
60.71.022	Positioning support for core sensor	37
60.76.448S	Power chokes	43, 45
60.75.376P	Power supply for VarioSmoker *ARG*	49
60.75.386P	Power supply for VarioSmoker *BRA*	49
60.75.378P	Power supply for VarioSmoker *CH*	49
60.75.372P	Power supply for VarioSmoker *EU*	49
60.75.374P	Power supply for VarioSmoker *UK*	49
60.75.368P	Power supply for VarioSmoker *US*	49
24.04.231S	Pre heat mechanism f. door cpl.	25
3017.1011P	Pressure sensor Huba 401	13
40.06.037P	Pulse generator	5
56.01.028P	Pump f. CareControl	35
56.01.020P	Pump f. cleaning	35
44.02.179S	Pump housing	15
42.00.273P	Pump pcb	9
87.01.866S	Retrofit kit *Collision protection*	53
14.01.113S	Retrofit kit drip tray trolley 201	39
87.01.786S	Retrofit kit Energy_opt.	53
87.01.815S	Retrofit kit safety door latch	53
87.01.897	Retrofit kit waste water piping DN90	53
10.00.515P	Rivet 3,2x6.8 A2/NSF	21
1604.0161P	Rivet 4x6 CNS	25
10.00.904P	Rivet B4x8	25
10.00.989P	Rivet with screw	7, 9, 25
54.01.650S	Rubber form piece venting pipe +Hose clamp	33

Index

Part no.	Description	Page
87.01.543S	Safety device / water supply for steam generator	15
40.06.682P	Safety temperature limiter	21
40.06.098P	Screen core temperature sensor	21
40.05.489P	Screen interior cabinet sensor	21
40.05.484P	Screwed cable gland M40x1,5*22-32*	7
16.04.062P	Sealing block	5
16.03.701P	Sealing block LAN	5
10.00.991P	Sealing cap	17
16.03.342P	Sealing f. panel insert	5
60.77.082	Second water connection for filling the hand shower.	53
16.03.438P	Side panel left	31
16.04.081P	Side panel right	31
60.75.178P	side panels	43, 45
24.00.171P	Silicone buffer 7mm for door	25
56.01.688S	Silicone hose with hose clamps	35
60.76.691P	Smoking box for VarioSmoker	49
1104.0820P	Snap nut 4,2mm	31
50.02.104P	Solenoid valve triple	33
40.00.453P	Solid state relais	7
60.76.574P	spacer CPU	43, 45
87.01.438	Spacer kit for glass pane	25
87.01.810S	Spacer plate door catch	23
24.05.002P	Stop spacer	23
50.02.135P	Supply hose for "Care box"	35
44.02.225S	Supply hose safety armature	15
40.06.112S	Temperature sensor eSTB *HA*	21
40.06.133P	Temperature sensor eSTB 100mm *S*	15
40.06.627P	Terminal block blue WKFN 16 Duo	9
40.04.642P	Terminal block grey WKFN 10 D1/2/35	9
40.05.995P	Thermocouple	43, 45
87.01.781S	Thermocouple	43, 45
40.06.792S	Thermocouple humidity *B4*	21

Index

Part no.	Description	Page
40.06.805P	Thermocouple interior cabinet B1	21
40.06.730P	Thermocouple interior cabinet B9	21
40.06.720P	Thermocouple steam generator *B5*	15
1206.0120P	Tooth lock washer A6,4	29
16.03.436P	Top cover	31
6013.1146P	Tray, 1/1 GN, 150 mm deep, high grade steel rustproof	47
56.01.430P	Tulip for handshower	29
40.06.044P	USB socket with cable	5
72.00.492P	V Clamp 50mm right	15
40.06.214P	Vent cover	13, 29
22.01.456P	Vent cover, left	13
40.06.570P	Ventilation at top	13
54.01.648P	Ventilation pipe	33
1308.0162P	Washer A8,4	19
56.01.017P	Waste water pump Cleaning box	35

