winterhalter

The Winterhalter rack portfolio

The right racks for your machine

The rack portfolio – the right rack for all dishes

Winterhalter dishwashers are an essential part of your business everyday. Whether it's glasses, dishes, cutlery or other items – Winterhalter can offer you the **right machine and the right rack.** The comprehensive choice of racks meets all requirements and is characterised by its **outstanding quality** – from the functional design and high-quality materials to the meticulous care that is taken in its manufacture.

As well as tried-and-tested rack models, Winterhalter is continuously developing new products that are perfectly adapted to the latest developments in machines and dishes. With an **intelligent, integrated concept** consisting of machine technology, detergent products, water treatment and accessories, Winterhalter delivers hygienically clean washing results.

Pages **6–8 present the Winterhalter rack portfolio** in easy to read tables. At a glance, you will be able to find the appropriate rack for your machine model and dishes. You will also find the current Winterhalter rack assortment, including images and information, on the internet.


Ralph, Karl and Jürgen Winterhalter (from left)

A systematic approach to sparkling clean results:
Winterhalter has the perfect rack for all dishes.

There are lots of good reasons
to use racks from Winterhalter

Because they make a significant contribution to achieving optimum cleaning results, **racks need to offer different** properties depending on the items being washed. For example, there are robust stainless steel racks for heavy utensils whilst special racks for cutlery have particularly finely meshed bases.

Winterhalter racks appeal to customers because of **their consistently systematic** approach and high quality – **from a modular structure** and open **rack design** through to use for **storage and transport.** Furthermore, the racks offer the opportunity for optimum loading, delivering significant cost savings.

Modular structure

The height and compartment subdivision of the racks can be individually adapted to the dimensions of your glasses and dishes. Ensuring that the rack height is matched to the height of the glasses cuts down on breakages.

Hygiene through open design

The open design of the racks ensures perfect cleaning results through **optimum water and air circulation.** The dishes dry faster and there are fewer places for water to collect. **Your glasses are ready to be used again in the shortest possible time.**
The open rack offers additional advantages for dishwashing staff: It is **easy to reach** and **comfortable to carry.**

Perfect storage and transport system

Your dishes are in the best possible hands in stackable Winterhalter racks. Their **lightweight** facilitates **transport and handling.** Transport trolleys help you to achieve **smooth and flexible logistics for dishes.** For lengthy storage, the vinyl dust cover keeps your dishes free from dust so they are always ready. **So there's no need to rewash** before **use.**

Economy

Winterhalter racks definitely enable you to **save money,** because their high quality means there is no need to buy **replacement racks all the time.** Precisely fitting racks reduce damage to the items being washed. This cuts expenditure on replacing breakages, which can be a very significant cost. Thanks to optimum cleaning, repeat washing is unnecessary. **Which means you save on resources** such as electricity, water, detergent and rinse aid – so your **operating costs are lower.**

Which material for which use?

Plastic racks

Plastic racks are ideal for **organising large quantities of dishes and glasses.** They are light, stackable and durable. **Different colours** for top frames and compartment subdivisions help when using the racks as a **sorting and storage system.** Size L plastic racks (500 mm x 500 mm) are particularly suitable for use in rack conveyor dishwash systems.

Plastic coated wire racks

Plastic coated wire racks are characterised by the **highest possible water permeability,** so that the water jet can spray all the dishes with the least possible obstruction. Plastic coated wire racks have a **resilient plastic coating** that protects the dishes against damage. Please note: These racks can only be stacked when empty and are not suitable for use in rack and flight-type dishwashers.

Stainless steel racks

Stainless steel racks are exclusively used in utensil washers for pots, trays and utensils. Their particularly **robust construction** and special base structure are specifically designed for **large and heavy items.**

Rack recommendation	UC-S	UC-M	UC-L	UC-XL	GS 501 / GS 502	GS 515	GSR 36	GS 640 / GS 650	GS 660	STR	MT
Glass racks made of plastic coated wire (Page 13)											
Size S											
Without rows	+										
3 rows	+										
Dividing stay for 3 rows, 3 glasses	+										
4 rows	+										
Dividing stay for 4 rows, 4 glasses	+										
4 row rack extension, 4 glasses	+										
4 rows with rack extension, 16 glasses	+										
Size M											
3 rows		+	+	+							
3 row rack extension, 12 glasses		+	+	+							
3 rows with rack extension, 12 glasses		+	+	+							
4 rows, height 105 mm		+	+	+							
4 rows, height 208 mm		+	+	+							
4 rows, height 166 mm		+	+	+							
4 row rack extension, 20 glasses		+	+	+							
4 rows with rack extension, 20 glasses		+	+	+							
Size L											
Without rows		+	+	+	+	+					
4 rows, height 104 mm		+	+	+	+	+					
4 rows, height 165 mm		+	+	+	+	+					
Dividing stay for 4 rows, 4 glasses		+	+	+	+	+					
5 rows		+	+	+	+	+					
Dividing stay for 5 rows, 5 glasses		+	+	+	+	+					
5 row rack extension, 25 glasses		+	+	+	+	+					
5 rows with rack extension, 25 glasses		+	+	+	+	+					
Glass racks made of plastic (Page 14–15)											
Size S											
9 glasses, GH 120 mm	+										
9 glasses, GH 160 mm, red	+										
9 glasses, GH 240 mm, yellow	+										
16 glasses, GH 120 mm	+										
16 glasses, GH 160 mm, red	+										
16 glasses, GH 240 mm, yellow	+										
25 glasses, GH 120 mm	+										
25 glasses, GH 160 mm, red	+										
25 glasses, GH 240 mm, yellow	+										
Size L											
9 glasses, GH 70 mm		+	+	+	+	+				+	+
9 glasses, GH 110 mm, red		+	+	+	+	+				+	+
9 glasses, GH 160 mm, yellow		+	+	+	+	+				+	+
9 glasses, GH 210 mm, green		+	+	+	+	+				+	+
16 glasses, GH 70 mm		+	+	+	+	+				+	+
16 glasses, GH 110 mm, red		+	+	+	+	+				+	+
16 glasses, GH 160 mm, yellow		+	+	+	+	+				+	+
16 glasses, GH 210 mm, green		+	+	+	+	+				+	+
20 glasses, GH 70 mm		+	+	+	+	+				+	+
20 glasses, GH 110 mm, red		+	+	+	+	+				+	+
20 glasses, GH 160 mm, yellow		+	+	+	+	+				+	+
20 glasses, GH 210 mm, green		+	+	+	+	+				+	+
25 glasses, GH 70 mm		+	+	+	+	+				+	+
25 glasses, GH 110 mm, red		+	+	+	+	+				+	+
25 glasses, GH 160 mm, yellow		+	+	+	+	+				+	+
25 glasses, GH 210 mm, green		+	+	+	+	+				+	+

GLASSES

GH = Glass height / Glass racks made of plastic: Special heights available on request.

Rack recommendation	UC-S	UC-M	UC-L	UC-XL	GS 501 / GS 502	GS 515	GSR 36	GS 640 / GS 650	GS 660	STR	MT
30 glasses, GH 70 mm		+	+	+	+	+				+	+
30 glasses, GH 110 mm, red		+	+	+	+	+				+	+
30 glasses, GH 160 mm, yellow		+	+	+	+	+				+	+
30 glasses, GH 210 mm, green		+	+	+	+	+				+	+
36 glasses, GH 70 mm		+	+	+	+	+				+	+
36 glasses, GH 110 mm, red		+	+	+	+	+				+	+
36 glasses, GH 160 mm, yellow		+	+	+	+	+				+	+
36 glasses, GH 210 mm, green		+	+	+	+	+				+	+
49 glasses, GH 70 mm		+	+	+	+	+				+	+
49 glasses, GH 110 mm, red		+	+	+	+	+				+	+
49 glasses, GH 160 mm, yellow		+	+	+	+	+				+	+
49 glasses, GH 210 mm, green		+	+	+	+	+				+	+
CUTLERY											
Cup and cutlery racks (Page 15)											
Size S	+										
Size M, height 80 mm		+	+	+							
Size M, height 154 mm		+	+	+							
Size L		+	+	+	+	+					
Size XL						+					
Racks for cutlery holders											
Size S, for 6 cutlery holders	+										
Size S, with 6 cutlery holders	+										
Size L, for 9 cutlery holders		+	+	+	+	+					
Size L, with 9 cutlery holders		+	+	+	+	+					
DISHES											
Plate racks (Page 16)											
Plastic coated wire											
Size M, 6 rows		+	+	+							
Size L, 6 rows		+	+	+	+	+					
Size L, 8 rows		+	+	+	+	+					
Plastic coated wire, trapezoidal											
Size XL, 6 rows						+					
Size XL, 8 rows						+					
Size XL, 8 rows, width 615 mm						+					
Plastic											
Size S, 10 rows	+										
Size L, 7 or 8 rows		+	+	+	+	+				+	+
Size L, 8 rows, sprogget rack		+	+	+	+	+				+	+
Size L, 9 rows		+	+	+	+	+				+	+
Size L, 9 rows, wire insert		+	+	+	+	+				+	+
Bistro / combination racks (Page 17)											
Size S	+										
Size S, plastic	+										
Size L		+	+	+	+	+					
Cup racks (Page 18)											
Size S, 4 rows	+										
Size M, 4 rows		+	+	+							
Size L, 5 rows		+	+	+	+	+					
Size L, 5 rows, wire insert		+	+	+	+	+				+	+
Basic racks made of plastic (Page 18)											
Size S	+										
Size S, height 160 mm	+										
Size L, finely meshed		+	+	+	+	+	+	+		+	+
Size L, height 105 mm		+	+	+	+	+	+			+	+
Size L, height 147 mm		+	+	+	+	+	+			+	+

	Current models	Previous models
Rack size S	UC-S Series	GS 202 Series, GS 402 Series, GS 23, GS 24
Rack size M	UC-M Series, UC-L Series, UC-XL Series	GS 215 Series, GS 300 Series, GS 7, GS 9, GS 10, GS 22, GS 25, GS 27, GS 28, GS 29, GS 32, GS 40, GS 41, GS 42
Rack size L	UC-M Series, UC-L Series, UC-XL Series, GS 500 Series, STR Series, MT Series	GS 215 Series, GS 300 Series, GS 8, GS 10/2, GS 12, GS 14, GS 15, GS 29, GS 34, GS 41, GS 42, GS 61, GS 71, GS 72, GS 81, GS 90, GS 100, WKT 1000, WKT 1200, WKTS
Rack size XL	GS 515 Series	GS 61, GS 71, GS 72, GS 81, GS 90, GS 100

Rack sizes are also applicable for the Cool, ReTemp and Energy designs of the respective machine series.

DISHES

Rack recommendation	UC-S	UC-M	UC-L	UC-XL	GS 501 / GS 502	GS 515	GSR 36	GS 640 / GS 650	GS 660	STR	MT
Basic racks made of plastic (Page 18)											
Size L, height 197 mm		+	+	+	+	+	+			+	+
Size L, height 247 mm		+	+	+	+	+	+			+	+
Size L, 1 side open		+	+	+	+	+	+			+	+
Size L, washing cage		+	+	+	+	+	+	+	+	+	+
Container and tray racks (Page 19)											
Size L, 6 rows				+							
Size L, 9 rows, 1 side open				+	+	+	+			+	+
Size L, 9 rows, 1 side open, sprogget rack				+	+	+				+	+
Size L, 9 rows, 1 side open, sprogget rack, corner entry					+	+				+	+
Size XL, 8 rows					+	+				+	+
Utensil racks (Page 19)*											
Size S							+				
Size M								+			
Size L									+		
Rack accessories (Page 20–21)											
Glasses / cups											
Zigzag divider, size S	+										
Cup insert, size S	+										
Cup insert, size L		+	+	+	+	+				+	+
Cover screen, size L		+	+	+	+	+				+	+
Tilter, single / double											
Cutlery											
Cutlery holder	+	+	+	+	+	+				+	+
Cutlery holder, 3 compartments	+	+	+	+	+	+				+	+
Cutlery holder, 4 compartments	+	+	+	+	+	+				+	+
Cutlery holder, 7 compartments		+	+	+	+	+				+	+
Cutlery holder, 8 compartments			+	+	+	+				+	+
Plates											
Plate insert, size S, 10 rows	+										
Plate insert, size S, 9 rows		+	+	+	+	+				+	+
Utensils											
Tray insert											
5 rows				+	+	+	+			+	+
5 rows							+	+	+		
6 rows								+	+		
9 rows				+	+	+	+			+	+
12 rows							+	+	+		
Piping bag frame, 3 cones								+	+		
Piping bag frame, 6 cones								+	+		
Insert bracket Euronorm crates								+			
Mobile equipment parts											
Rack dolly without handle		+	+	+	+	+				+	+
Rack dolly with handle		+	+	+	+	+				+	+
Miscellaneaous											
Drip tray, size S (Bar)											
Drip tray, size S	+										
Drip tray, size L (Bar)											
Drip tray, size L		+	+	+							
Rack angle											
Rack clamp											
Dust cover for rack/ dishes storage, size L		+	+	+	+	+				+	+
Rack guide 600 x 400 mm				+							

*	Current models	Previous models
Rack size S	GSR 36	–
Rack size M	GS 640 Series, GS 650 Series	GR 64, GR 65
Rack size L	GS 660 Series	GR 66/1

Rack sizes are also applicable for the Energy designs of the respective machine series.

UTENSILS AND RACK ACCESSORIES

8

The perfect rack for every glass

The correct rack makes a major contribution to achieving optimum cleaning and drying results for your glasses. Furthermore, glasses will be protected from damage, and therefore last significantly longer. **On the two adjacent pages, you can measure your glasses** – and find the **appropriate racks on pages 13 – 15.**

Instructions

How to find the correct compartment size:

– First decide between **plastic coated wire or plastic racks.**

– Place the glass **centrally** on the **diameter circles (1.) for square compartment subdivisions or, if necessary, for rectangular compartment subdivisions (2.).**

– You can see the relevant compartment size by looking **down on the glass from directly above.** The compartment size may depend on the shape of the base, the bowl or possibly the handle of the glass.

How to find the rack height:
Measure the **height** of the glass using the scale shown on the edge of the page.

Please note:
Plastic glass racks cannot be **stacked** if you **put glasses** in them that are taller than the specified maximum glass height.
Plastic coated wire racks can only be stacked when empty. **Refer to pages 13 – 15 for information on suitable glass heights. Special heights are available on request.**

Glass height [mm]

130

120
115
110

95
90

**1. Glass diameter [mm]
(square compartments)**

200

150

Glass racks made of plastic coated wire

130 x 110

120 x 125

100

90 x 110

90 x 85

120 x 125

130 x 110

90 x 110

90 x 85

**2. Glass diameter [mm]
(rectangular
compartments)**

50

all figures in
[mm]

100

50

Glass height [mm]

146

112

88

82

73

63

1. Glass diameter [mm] (square compartments)

Rack size L
Rack size S

Glass racks made of plastic

88 x 112

73 x 88

73 x 88

88 x 112

2. Glass diameter [mm] (rectangular compartments)

Rack size L

200

150

100

50

50

100

all figures in [mm]

Glass racks

With their **open design,** Winterhalter glass racks contribute to optimum cleaning results. Racks that are precisely matched to the height and diameter of glasses guarantee **maximum safety** for your glasses.

Winterhalter recommends plastic coated wire racks **for glasses.** Their high water permeability and the fact that the glasses are positioned at an angle guarantee that these racks **offer the best cleaning and drying results. Dividing stays or rack extensions for tall glasses** provide optimum protection against breakage. **These racks can only be stacked when empty and are not suitable for use in rack and flight-type dishwashers.**

Plastic glass racks are provided with a **coloured compartment subdivision** depending on the glass diameter. Additional differentiation is provided by the **coloured top-frame,** which depends on the glass height. This sorting and storage system **optimises logistics for your glasses.** In addition, optional inserts make it possible to position the glasses at an angle. This prevents water remaining in the bases of the glasses, so they can dry completely.

Glass racks made of plastic coated wire

Glass racks Size S	Clear row dimensions / compartment size [mm]	Dimensions [mm]	Article no.
Without rows	–	400 x 400 x 150	55 01 268
3 rows	120	400 x 400 x 155	85 000 471
Dividing stay for 3 rows, 3 glasses	120 x 125		85 000 481
4 rows	90	400 x 400 x 155	55 01 178
Dividing stay for 4 rows, 4 glasses	90 x 85		85 000 443
4 row rack extension, 16 glasses	90 x 90	400 x 400 x 100	36 01 207
4 rows with rack extension, 16 glasses	90 x 90	400 x 400 x 255	55 01 219

Glass racks Size M	Clear row dimensions / compartment size [mm]	Dimensions [mm]	Article no.
3 rows	130	500 x 440 x 150	55 01 201
3 row rack extension, 12 glasses	130 x 110	500 x 440 x 73	36 01 202
3 rows with rack extension, 12 glasses	130 x 110	500 x 440 x 223	55 01 218
4 rows, height 105 mm	90	500 x 430 x 105	55 01 179
4 rows, height 208 mm	95	500 x 430 x 208	55 01 072
4 rows, height 166 mm	90	500 x 430 x 166	55 01 180
4 row rack extension, 20 glasses	90 x 110	500 x 430 x 100	36 01 200
4 rows with rack extension, 20 glasses	90 x 110	500 x 430 x 266	55 01 217

Glass racks Size L	Clear row dimensions / compartment size [mm]	Dimensions [mm]	Article no.
Without rows	–	500 x 500 x 150	55 01 255
4 rows, height 104 mm	115	500 x 500 x 104	55 01 061
4 rows, height 165 mm	110	500 x 500 x 165	85 000 449
Dividing stay for 4 rows, 4 glasses	110 x 110		85 000 450
5 rows	90	500 x 500 x 180	85 000 436
Dividing stay for 5 rows, 5 glasses	90 x 90		85 000 442
5 row rack extension, 25 glasses	90 x 90	500 x 500 x 100	36 01 208
5 rows with rack extension, 25 glasses	90 x 90	500 x 500 x 280	55 01 271

55 01 268

85 000 471

85 000 471 + dividing stay 85 000 481

55 01 179

55 01 217

55 01 061

Rack size S is suitable for: UC-S Series
Rack size M is suitable for: UC-M Series, UC-L Series, UC-XL Series
Rack size L is suitable for: UC-M Series, UC-L Series, UC-XL Series, GS 500 Series
Rack size XL is suitable for: GS 515 Series

Rack sizes are also applicable for the Cool, ReTemp and Energy designs of the respective machine series.

See also pages 6 – 8 for a complete overview.

Glass racks made of plastic

85 000 214

85 000 215

55 01 246

55 01 220

55 01 224

55 01 228

Glass racks Size S	Compartment size [mm]	Max. glass height [mm]	Dimensions [mm]	Article no.
9 glasses	112 x 112	120	400 x 400 x 160	**85 000 212**
9 glasses, red	112 x 112	160	400 x 400 x 197	**85 000 213**
9 glasses, yellow	112 x 112	240	400 x 400 x 277	**85 000 214**
16 glasses	82 x 82	120	400 x 400 x 160	**85 000 215**
16 glasses, red	82 x 82	160	400 x 400 x 197	**85 000 216**
16 glasses, yellow	82 x 82	240	400 x 400 x 277	**85 000 217**
25 glasses	63 x 63	120	400 x 400 x 160	**85 000 218**
25 glasses, red	63 x 63	160	400 x 400 x 197	**85 000 219**
25 glasses, yellow	63 x 63	240	400 x 400 x 277	**85 000 220**

Glass racks Size L	Compartment size [mm]	Max. glass height [mm]	Dimensions [mm]	Article no.
9 glasses	146 x 146	70	500 x 500 x 107	**55 01 246**
9 glasses, red	146 x 146	110	500 x 500 x 147	**55 01 232**
9 glasses, yellow	146 x 146	160	500 x 500 x 197	**55 01 233**
9 glasses, green	146 x 146	210	500 x 500 x 247	**55 01 234**
16 glasses	112 x 112	70	500 x 500 x 107	**55 01 250**
16 glasses, red	112 x 112	110	500 x 500 x 147	**55 01 220**
16 glasses, yellow	112 x 112	160	500 x 500 x 197	**55 01 221**
16 glasses, green	112 x 112	210	500 x 500 x 247	**55 01 222**
20 glasses	112 x 88	70	500 x 500 x 107	**55 01 243**
20 glasses, red	112 x 88	110	500 x 500 x 147	**55 01 223**
20 glasses, yellow	112 x 88	160	500 x 500 x 197	**55 01 224**
20 glasses, green	112 x 88	210	500 x 500 x 247	**55 01 225**
25 glasses	88 x 88	70	500 x 500 x 107	**36 02 235**
25 glasses, red	88 x 88	110	500 x 500 x 147	**36 02 220**
25 glasses, gelb	88 x 88	160	500 x 500 x 197	**36 02 221**
25 glasses, green	88 x 88	210	500 x 500 x 247	**36 02 222**
30 glasses	88 x 73	70	500 x 500 x 107	**55 01 244**
30 glasses, red	88 x 73	110	500 x 500 x 147	**55 01 226**
30 glasses, yellow	88 x 73	160	500 x 500 x 197	**55 01 227**
30 glasses, green	88 x 73	210	500 x 500 x 247	**55 01 228**

Plastic glass racks can only be stacked providing the maximum glass height is not exceeded.

Special heights available on request.

Rack size   S is suitable for: UC-S Series
Rack size   M is suitable for: UC-M Series, UC-L Series, UC-XL Series
Rack size   L is suitable for: UC-M Series, UC-L Series, UC-XL Series, GS 500 Series, STR Series, MT Series
Rack size XL is suitable for: GS 515 Series

Rack sizes are also applicable for the Cool, ReTemp and Energy designs of the respective machine series.

See also pages 6–8 for a complete overview.

Glass racks made of plastic

Glass racks Size S	Compartment size [mm]	Max. glass height [mm]	Dimensions [mm]	Article no.
36 glasses	73 x 73	70	500 x 500 x 107	**36 02 236**
36 glasses, red	73 x 73	110	500 x 500 x 147	**36 02 223**
36 glasses, yellow	73 x 73	160	500 x 500 x 197	**36 02 224**
36 glasses, green	73 x 73	210	500 x 500 x 247	**36 02 225**
49 glasses	63 x 63	70	500 x 500 x 107	**55 01 245**
49 glasses, red	63 x 63	110	500 x 500 x 147	**55 01 229**
49 glasses, yellow	63 x 63	160	500 x 500 x 197	**55 01 230**
49 glasses, green	63 x 63	210	500 x 500 x 247	**55 01 231**

36 02 224

55 01 231

Plastic glass racks can only be stacked providing the maximum glass height is not exceeded.

Special heights available on request.

Cup and cutlery racks

Winterhalter cup and cutlery racks have a **finely meshed base.** Different rack heights allow optimum compatibility with different products. The characteristic feature of these racks is that they **are not subdivided** and can therefore be filled as required. Winterhalter recommends: **Wash cutlery standing up** in **cutlery holders** to achieve sparkling clean results. Mix up different cutlery pieces together in each of the cutlery holders, as too many identical pieces will result in overlaps and prevent proper cleaning.

Cup and cutlery racks	Dishes	Dimensions [mm]	Material	Article no.
Size S	Cutlery, ice cream cups	400 x 400 x 125	Wire	**55 01 166**
Size M, height 80 mm	Cutlery, ice cream cups	500 x 420 x 80	Wire	**55 01 018**
Size M, height 154 mm	Cutlery, ice cream cups	500 x 430 x 154	Wire	**55 01 198**
Size L	Cutlery, ice cream cups	500 x 500 x 68	Plastic	**55 01 059**
Size XL	Cutlery, ice cream cups	644 x 502 x 65	Wire	**55 01 265**

55 01 198

Racks for cutlery holders	Dishes	Dimensions [mm]	Material	Article no.
Size S, for 6 cutlery holders	Cutlery	400 x 400 x 112	Wire	**85 000 604**
Size S, with 6 cutlery holders	Cutlery	400 x 400 x 112	Wire	**85 000 040**
Size L, for 9 cutlery holders	Cutlery	500 x 500 x 145	Wire	**85 000 605**
Size L, with 9 cutlery holders	Cutlery	500 x 430 x 145	Wire	**85 000 041**

85 000 041

For more cutlery holders, please refer to rack accessories on page 20.

Rack size   S is suitable for: UC-S Series
Rack size   M is suitable for: UC-M Series, UC-L Series, UC-XL Series
Rack size   L is suitable for: UC-M Series, UC-L Series, UC-XL Series, GS 500 Series, STR Series, MT Series
Rack size XL is suitable for: GS 515 Series

Rack sizes are also applicable for the Cool, ReTemp and Energy designs of the respective machine series.

See also pages 6 – 8 for a complete overview.

Plate racks

The open design of plate racks ensures **maximum water permeability.** Rows or sproggets fix the plates in an optimum position. You should **load the racks as fully as possible** in order to save resources and utilise the dishwasher's full capacity. With a size L rack (500 mm x 500 mm), for example, you can load two plates with a max. diameter of 24 cm in each row. To avoid spray obstructions and overlapping, plates **with larger diameters should be placed in rows alongside smaller plates.**

Filling size M and size L: 2 plates max. Ø 24 cm

Plate racks, plastic coated wire	Clear row dimensions [mm]	Dimensions [mm]	Material	Article no.
Size M, 6 rows	70	500 x 420 x 105	Wire	**55 01 001**
Size L, 6 rows	73	500 x 500 x 92	Wire	**55 01 171**
Size L, 8 rows	54	500 x 500 x 92	Wire	**55 01 170**

55 01 170

Filling size XL, 6 and 8 rows: 2 plates max. Ø 30 cm
Filling size XL, 8 rows (55 01 267): 2 plates max. Ø 31 cm

Plate racks, plastic coated wire, trapezoidal	Clear row dimensions [mm]	Dimensions [mm]	Material	Article no.
Size XL, 6 rows	73	500 x 540 x 92	Wire	**55 01 173**
Size XL, 8 rows	54	500 x 540 x 92	Wire	**55 01 172**
Size XL, 8 rows, width 615 mm	52	500 x 615 x 128	Wire	**55 01 267**

55 01 267

Filling size S, 10 rows: 1 plate max. Ø 23 cm + 1 plate max. Ø 15 cm
Filling size L, 7 or 8 rows: 15 plates total max. Ø 26 cm
Filling size L, 9 rows: 2 plates max. Ø 24 cm

Plate racks, plastic	Clear row dimensions [mm]	Dimensions [mm]	Material	Article no.
Size S, 10 rows	30	400 x 400 x 65	Plastic	**55 01 0000**
Size L, 7 or 8 rows (offset)	40	500 x 500 x 130	Plastic	**85 000 533**
Size L, 6 or 8 rows, sprogget rack	70 or 52	500 x 500 x 105	Plastic	**36 02 208**
Size L, 6 or 9 rows, sprogget rack	70 or 45	500 x 500 x 105	Plastic	**36 02 259**
Size L, 9 rows, wire insert	37	500 x 500 x 130	Plastic, wire insert	**55 01 270**

55 01 0000

85 000 533

Rack size   S is suitable for: UC-S Series
Rack size M is suitable for: UC-M Series, UC-L Series, UC-XL Series
Rack size   L is suitable for: UC-M Series, UC-L Series, UC-XL Series, GS 500 Series, STR Series, MT Series
Rack size XL is suitable for: GS 515 Series

Rack sizes are also applicable for the Cool, ReTemp and Energy designs of the respective machine series.

See also pages 6 – 8 for a complete overview.

Bistro / combination racks

Winterhalter bistro / combination racks are particularly suitable for **combined washing** of **glasses, cups, plates and cutlery. Cutlery and small items** are washed in the **front area, glasses, plates and cups** in the **rows at the back.** For sparkling clean cutlery, Winterhalter recommends using **cutlery holders.**

Bistro / combination racks	Dishes	Dimensions [mm]	Material	Article no.
Size S	Cutlery, plates, glasses, cups	400 x 420 x 92	Wire	**55 01 266**
Size S, plastic	Cutlery, plates, glasses, cups	400 x 400 x 145	Plastic	**36 02 111**
Size L	Cutlery, plates, glasses, cups	500 x 500 x 110	Wire	**85 000 444**

You will find suitable cutlery holders under Rack accessories, page 20.

55 01 266

36 02 111

85 000 444

Rack size   S is suitable for: UC-S Series
Rack size   M is suitable for: UC-M Series, UC-L Series, UC-XL Series
Rack size   L is suitable for: UC-M Series, UC-L Series, UC-XL Series, GS 500 Series, STR Series, MT Series
Rack size XL is suitable for: GS 515 Series

Rack sizes are also applicable for the Cool, ReTemp and Energy designs of the respective machine series.

See also pages 6 – 8 for a complete overview.

Cup racks

Winterhalter cup racks are characterised not only by their **open design** but also by the **angled position of the rack bases.** They ensure that rinse water runs off and does not collect in cup bases guaranteeing optimum cleaning and drying. Uninterrupted rows without subdivisions permit **maximum rack loading.**

Cup rack 36 02 109

Cup rack 55 01 019

Cup racks	Can be combined with [mm]	Dimensions [mm]	Material	Article no.
Size S, 4 rows	85	400 x 400 x 65	Plastic	**36 02 109**
Size M, 4 rows	100	500 x 425 x 115	Wire	**55 01 019**
Size L, 5 rows	95	500 x 500 x 104	Wire	**55 01 197**
Size L, 5 rows, wire insert	70 – 90	500 x 500 x 104	Plastic, wire insert	**55 01 269**

Basic racks

Winterhalter basic racks are characterised by a **coarsely meshed base** and their **water permeability** guarantees an optimum cleaning result. Depending on the dishes, the basic racks can be **combined with specially designed inserts.** This means these racks **can be used flexibly** and always match your requirements, whatever **the rack height.** Please see the rack accessories on page 20 – 21 for information about appropriate inserts for the basic racks.

36 02 243

85 000 363

Basic racks, Plastic	Can be combined with	Dimensions [mm]	Article no.
Size S	Rack accessories: glasses / cups, plates (pg. 20 – 21)	400 x 400 x 65	**36 02 113**
Size S, height 160 mm	Rack accessories: glasses / cups, plates (pg. 20 – 21)	400 x 400 x 160	**36 02 114**
Size L, finely meshed	Rack accessories: glasses / cups, plates (pg. 20 – 21)	500 x 500 x 105	**36 02 210**
Size L, height 105 mm	Rack accessories: glasses / cups, plates (pg. 20 – 21)	500 x 500 x 105	**36 02 209**
Size L, height 147 mm	Rack accessories: glasses / cups, plates (pg. 20 – 21)	500 x 500 x 147	**36 02 243**
Size L, height 197 mm	Rack accessories: glasses / cups, plates (pg. 20 – 21)	500 x 500 x 197	**36 02 244**
Size L, height 247 mm	Rack accessories: glasses / cups, plates (pg. 20 – 21)	500 x 500 x 247	**36 02 245**
Size L, 1 side open	Rack accessories: utensils (pg. 21)	500 x 500 x 105	**85 000 552**
Size L, washing cage		500 x 500 x 200	**85 000 363**

Rack size   S is suitable for: UC-S Series
Rack size   M is suitable for: UC-M Series, UC-L Series, UC-XL Series
Rack size   L is suitable for: UC-M Series, UC-L Series, UC-XL Series, GS 500 Series, STR Series, MT Series
Rack size XL is suitable for: GS 515 Series

Rack sizes are also applicable for the Cool, ReTemp and Energy designs of the respective machine series.

See also pages 6 – 8 for a complete overview.

Container and tray racks

Winterhalter container and tray racks are **available in a variety of versions.** Winterhalter offers the optimum solution, irrespective of whether you are washing trays or GN containers. The design of the **sproggets and metal brackets** facilitate **optimum positioning** of the items in these racks. Their inclined position prevents water from collecting, making a significant contribution to achieving perfect cleaning and drying. See rack accessories on page 21 for additional information about more container and tray inserts.

Container and tray racks	Clear row dimensions [mm]	Dimensions [mm]	Material	Article no.
Size L, 6 rows	42	500 x 500 x 202	Stainless steel	**85 000 037**
Size L, 9 rows, 1 side open	40	500 x 500 x 125	Plastic, stainless steel insert	**85 000 551**
Size L, 9 rows, 1 side open, sprogget rack	45	500 x 500 x 105	Plastic	**36 02 215**
Size L, 9 rows, 1 side open, sprogget rack, corner entry	45	500 x 500 x 148	Plastic	**55 01 272**
Size XL, 8 rows	52	586 x 500 x 161	Plastic, stainless steel rack extension	**85 000 111**

Rack size   S is suitable for: UC-S Series
Rack size M is suitable for: UC-M Series, UC-L Series, UC-XL Series
Rack size   L is suitable for: UC-M Series, UC-L Series, UC-XL Series, GS 500 Series, STR Series, MT Series
Rack size XL is suitable for: GS 515 Series

Rack sizes are also applicable for the Cool, ReTemp and Energy designs of the respective machine series.

See also pages 6−8 for a complete overview.

85 000 551

85 000 111

Utensil racks

Winterhalter utensil racks are individually produced for the Winterhalter utensil washer series. The **open and solid stainless steel structure** allows heavy utensils such as pots and other bulky kitchen utensils to be washed hygienically. **Special sliders** make it easy to move the racks in and out, in particular when they contain heavy items.

Utensil racks	Can be combined with	Dimensions [mm]	Material	Article no.
Size S	Rack accessories: utensils (pg. 21)	650 x 508 x 64	Stainless steel	**85 000 537**
Size M	Rack accessories: utensils (pg. 21)	608 x 672 x 134	Stainless steel	**85 000 543**
Size L	Rack accessories: utensils (pg. 21)	1260 x 695 x 135	Stainless steel	**85 000 556**

The following subdivisions apply to the utensil rack section:

Rack size   S is suitable for: GSR 36
Rack size M is suitable for: GS 640 Series, GS 650 Series
Rack size   L is suitable for: GS 660 Series

Rack sizes are also applicable for the Energy designs of the respective machine series.

See also pages 6−8 for a complete overview.

85 000 537

85 000 556

19

Rack accessories

The accessories designed for the rack portfolio facilitate **storage, handling and transport** of your items. From the cup insert to the frame for piping bags, Winterhalter accessories offer **individual solutions and adaptations** for an exceptionally wide range of items.

Rack accessories, glasses / cups	Can be combined with	Dimensions [mm]	Material	Article no.
Zigzag divider, size S	Basic rack, size S (pg. 18)	390 x 43 x 3	Plastic	**36 02 124**
Cup insert, size S	Basic rack, size S (pg. 18)	365 x 55 x 15	Plastic	**36 02 122**
Cup insert, size L	Basic racks, size L (pg. 18)	455 x 445 x 65	Wire	**55 01 264**
Cover screen, size L	Basic racks, size L (pg. 18)	465 x 465 x 6	Stainless steel	**85 000 447**
Tilter, single	Plastic glass racks, size L (pg. 14 – 15)	–	Plastic	**36 02 241**
Tilter, double	Plastic glass racks, size L (pg. 14 – 15)	–	Plastic	**36 02 242**

Rack accessories, cutlery	Can be combined with	Dimensions [mm]	Material	Article no.
Cutlery holder	Rack for cutlery holders (pg. 15)	106 x 106 x 138	Plastic	**36 02 261**
Cutlery holder	Basic racks, sizes S, L (pg. 18)	105 x 105 x 130	Plastic	**36 02 271**
Cutlery holder, 3 compartments	Basic racks, sizes S, L (pg. 18)	220 x 70 x 110	Plastic	**36 02 128**
Cutlery holder, 4 compartments	Ideal with bistro / combination rack, size S (pg. 17)	230 x 50 x 102	Wire	**36 01 009**
Cutlery holder, 7 compartments	Basic racks, size L (pg. 18)	430 x 50 x 103	Plastic	**55 01 007**
Cutlery holder, 8 compartments	Basic racks, size L (pg. 18)	440 x 210 x 260	Plastic	**36 02 258**

36 02 209 + insert 55 01 264

85 000 447

36 02 241 + 36 02 242

Rack size   S is suitable for: UC-S Series
Rack size   M is suitable for: UC-M Series, UC-L Series, UC-XL Series
Rack size   L is suitable for: UC-M Series, UC-L Series, UC-XL Series, GS 500 Series, STR Series, MT Series
Rack size XL is suitable for: GS 515 Series

Rack sizes are also applicable for the Cool, ReTemp and Energy designs of the respective machine series.

See also pages 6 – 8 for a complete overview.

Rack accessories, plates	Can be combined with	Clear row dimensions [mm]	Material	Article no.
Plate insert size S, 10 rows	Basic rack, size S (pg. 18)	30	Plastic	**36 02 123**
Plate insert size L, 9 rows	Basic racks, size L (pg.18)	37	Wire	**55 01 252**

36 02 209 + insert 55 01 252

Rack accessories, utensils	Can be combined with	Clear row dimensions [mm]	Material	Article no.
Tray insert, 5 rows	Basic rack, size L (pg. 19)	80	Stainless steel	**55 01 256**
Tray insert, 5 rows	Utensil racks, sizes S, M, L (pg. 19)	53	Stainless steel	**85 000 536**
Tray insert, 6 rows	Utensil racks, sizes M, L (pg. 19)	75	Stainless steel	**85 000 550**
Tray insert, 9 rows	Basic rack, size L, 1 side open (pg. 18)	40	Stainless steel	**85 000 512**
Tray insert, 12 rows	Utensil racks, sizes S, M, L (pg. 19)	40	Stainless steel	**85 000 561**
Piping bag frame, 3 cones	Utensil racks, sizes M, L (pg. 19)	–	Wire	**85 000 558**
Piping bag frame, 6 cones	Utensil racks, sizes M, L (pg. 19)	–	Wire	**36 01 076**
Insert bracket Euronorm crates	Utensil racks, sizes M, L (pg. 19)	–	Stainless steel	**85 000 600**

85 000 543 + insert 85 000 550

85 000 543 + insert 85 000 600

Rack accessories, mobile equipment parts	Height [mm]	Dimensions [mm]	Material	Article no.
Rack dolly without handle	175	500 x 500	Stainless steel, plastic	**36 02 252**
Rack dolly with handle	890	500 x 500	Stainless steel, plastic	**36 02 251**

36 02 251

Rack accessories, miscellaneous	Application	Dimensions [mm]	Material	Article no.
Drip tray, size S	Bar	430 x 430 x 11	Stainless steel	**80 003 627**
Drip tray, size S	UC-S Series	466 x 596 x 22	Stainless steel	**62 003 540**
Drip tray, size L	Bar	525 x 525 x 25	Stainless steel	**80 002 369**
Drip tray, size L	UC-M Series, UC-L Series, UC-XL Series	606 x 606 x 22	Stainless steel	**60 004 739**
Rack angle	Plastic coated wire racks	170 x 170 x 15	Plastic	**85 000 560**
Rack clamp	Plastic coated wire racks	–	Plastic	**35 01 186**
Dust cover, size L	Rack / dishes storage	Hight 1600	Vinyl	**36 02 253**
Rack guide 600 x 400 mm	UC-XL Series	–	Stainless steel	**75 000 444**

60 004 739

Rack size S is suitable for: UC-S Series
Rack size M is suitable for: UC-M Series, UC-L Series, UC-XL Series
Rack size L is suitable for: UC-M Series, UC-L Series, UC-XL Series, GS 500 Series, STR Series, MT Series
Rack size XL is suitable for: GS 515 Series

Rack sizes are also applicable for the Cool, ReTemp and Energy designs of the respective machine series.

See also pages 6 – 8 for a complete overview.

winterhalter